



THE BOMANITE COMPANY
8789 Auburn Folsom Rd. #108 • Granite Bay, CA 95746
303.369.1115 • www.bomanite.com

©2011 Bomanite® and Bomacron® is a registered trademark and servicemark with the U.S. Patent Office and other countries. Manufactured under license for The Bomanite Company.

Bomanite Imprint Systems gives you more than 100 patterns and custom tooling options with a wide variety of standard and custom coloring options. You can choose from many natural textures including slate, granite, limestone, sandstone, cobblestone and used brick.


Pattern Selection Guide

BOMACRON TOOLS Graphics

TL-10010 3-D Graphics Quadruple (48" X 36")

A selection of tools that interlock to form a consistent pattern or image in the finished installation.

Tool size:	48" x 36"
Stone Size:	N/A
Joint Detail:	.285 x .251
Stone Relief Dimensions:	0.06



Pattern Selection Guide

BOMACRON TOOLS

Slate Rustic Textured Patterns

TL-20032 12" X 12" Slate (12" X 12") Rustic Joints

Tool size:	12" x 12"
Stone Size:	12" x 12"
Joint Detail:	.292 x .349
Stone Relief Dimensions:	0.158

12" x 12" Slate (rustic joints)



Also available as 48" x 12", 36" x 24",
48" x 24", 72" x 24" and with 1/4"
square joints as 36" x 24" tool



Pattern Selection Guide

BOMACRON TOOLS


Granite Flame Finish Textured Patterns

TL-05010 14 1/2" X 14 1/2" Flame Finish Granite

Similar to the standard granite texture with less depth of relief replicating high heat textured stone.

Tool size:	14 1/2" x 14 1/2"
Stone Size:	14 1/2" X 14 1/2"
Joint Detail:	.189 X .260
Stone Relief Dimensions:	0.099

Flame Finish Granite




Pattern Selection Guide

BOMACRON TOOLS Miscellaneous Patterns

Adoquin Tile

A selection of project specific custom tools available for unique applications.

Tool size:	24" x 48"
Stone Size:	12" x 12"
Joint Detail:	.269 x .398
Stone Relief Dimensions:	0.058



Pattern Selection Guide


BOMACRON TOOLS

English Slate Textured Patterns

Ashlar Slate

A versatile texture of "riven" slate with moderate depth of relief and minimal veining. Appropriate for all applications where consistent depth of impression and texture are desired. Set in a wide range of patterns from a random ashlar pattern to a random stone version with multiple tool designs and sizes.

Tool size:	24" x 24"
Stone Size:	N/A
Joint Detail:	.206 x .168
Stone Relief Dimensions:	0.192



Pattern Selection Guide

BOMACRON TOOLS Graphics

Bear Paw (9 1/4" X 5") 2" deep

A selection of project specific custom tools available for unique applications.

Tool size:	9 1/4" x 5"
Stone Size:	N/A
Joint Detail:	N/A
Stone Relief Dimensions:	1.626



Pattern Selection Guide

BOMACRON TOOLS


Belgian Block Textured Patterns

TL-08080 Belgian Block Soldier Course (9" X 35") (seven blocks)

Uniform texture of moderate relief consistent with hand cut and tumbled basalt cobblestones. Appropriate for all applications where natural stone cobbles would be used with a nice variety of stone sizing and shape available in multiple layouts.

Tool size:	9" x 35"
Stone Size:	N/A
Joint Detail:	.481 x .293
Stone Relief Dimensions:	0.173

Belgian Block Soldier Course



Pattern Selection Guide

BOMACRON TOOLS

Belgian Block Textured Patterns

TL-08030 Running Bond Belgian Block (48" X 20 5/8")

Uniform texture of moderate relief consistent with hand cut and tumbled basalt cobblestones. Appropriate for all applications where natural stone cobbles would be used with a nice variety of stone sizing and shape available in multiple layouts.

Tool size:	48" x 20 5/8"
Stone Size:	N/A
Joint Detail:	.336 x .242
Stone Relief Dimensions:	0.054



Pattern Selection Guide


BOMACRON TOOLS

Belgian Block Textured Patterns

TL-08010 Fishscale Belgian Block (54" X 30 3/4")

Uniform texture of moderate relief consistent with hand cut and tumbled basalt cobblestones. Appropriate for all applications where natural stone cobbles would be used with a nice variety of stone sizing and shape available in multiple layouts.

Tool size:	54" x 30 3/4"
Stone Size:	N/A
Joint Detail:	.237 x .196
Stone Relief Dimensions:	0.009



Pattern Selection Guide

BOMACRON TOOLS

Borders

TL-09017 New 12" Braided Border (14 1/2" X 48")

A selection of braided type borders repeating in pattern for use in conjunction with other tools and textures. Light in texture with minimal depth of relief.

Tool size:	14 1/2" x 48"
Stone Size:	N/A
Joint Detail:	.102 x .199
Stone Relief Dimensions:	0.005



Pattern Selection Guide

BOMACRON TOOLS


Borders

TL-09010 Braided Border Soft Marker (23 3/8" X 29 3/4")

A selection of braided type borders repeating in pattern for use in conjunction with other tools and textures. Light in texture with minimal depth of relief.

Tool size:	23 3/8" x 29 3/4"
Stone Size:	N/A
Joint Detail:	.144 x .236
Stone Relief Dimensions:	0.005

Braided Border Soft Marker



Pattern Selection Guide



BOMACRON TOOLS

Canyon Stone Textured Patterns

TL-01010 Canyon Stone (36" X 32")

A coarse texture mimicking large worn rock surfaces with little veining and fairly substantial depth of relief. Typically set in a random stone pattern that is appropriate for areas where an uneven, rustic surface is desired.

Tool size:	36" x 32"
Stone Size:	N/A
Joint Detail:	.341 x .506
Stone Relief Dimensions:	0.256




Pattern Selection Guide

BOMACRON TOOLS **Canyon Stone**


TL-01040 Canyon Stone Frayed Edge (4 1/2' X 4 1/2')

A coarse texture mimicking large worn rock surfaces with little veining and fairly substantial depth of relief. Typically set in a random stone pattern that is appropriate for areas where an uneven, rustic surface is desired.

Tool size:	4 1/2' x 4 1/2'
Stone Size:	N/A
Joint Detail:	N/A
Stone Relief Dimensions:	0.256



Largest Canyon Stone Frayed Edge available is 41/2' x 41/2'



Pattern Selection Guide


BOMACRON TOOLS

Coquina Textured Patterns

TL-02010 12" X 12" Coquina (36" X 24")

A random blend of sea shells over a background similar to a travertine or coarse rock salt finish. Light in texture with moderate depth of relief and no veining. Typically installed as continuous texture or in a tiles with fine grout lines.

Tool size:	36" x 24"
Stone Size:	12
Joint Detail:	.249 x .265
Stone Relief Dimensions:	0.149



Pattern Selection Guide


BOMACRON TOOLS

Coquina

TL-02090 Coquina Frayed Edge (4 1/2' X 4 1/2')

A random blend of sea shells over a background similar to a travertine or coarse rock salt finish. Light in texture with moderate depth of relief and no veining. Typically installed as continuous texture or in a tiles with fine grout lines.

Tool size:	4 1/2' x 4 1/2'
Stone Size:	N/A
Joint Detail:	N/A
Stone Relief Dimensions:	0.149




Pattern Selection Guide

BOMACRON TOOLS Stone Textured Patterns

Creek Stone (44 1/2" X 44 1/2")

Light Granite Texture: Similar to the flamed granite texture with slightly less depth of relief replicating low heat textured stone

Tool size:	44 1/2" x 44 1/2"
Stone Size:	N/A
Joint Detail:	.271 x .413
Stone Relief Dimensions:	0.141



Pattern Selection Guide


BOMACRON TOOLS

English Slate Textured Patterns

TL-03170 English Sidewalk Slate A (18" X 36")

A versatile texture of "riven" slate with moderate depth of relief and minimal veining. Appropriate for all applications where consistent depth of impression and texture are desired. Set in a wide range of patterns from a random ashlar pattern to a random stone version with multiple tool designs and sizes.

Tool size:	18" x 36"
Stone Size:	N/A
Joint Detail:	.251 x .137
Stone Relief Dimensions:	0.192



Pattern Selection Guide

BOMACRON TOOLS


English Slate

TL-03290 English Slate Frayed Edge (4 1/2' X 4 1/2')

A versatile texture of "riven" slate with moderate depth of relief and minimal veining. Appropriate for all applications where consistent depth of impression and texture are desired. Set in a wide range of patterns from a random ashlar pattern to a random stone version with multiple tool designs and sizes.

Tool size:	4 1/2' x 4 1/2'
Stone Size:	N/A
Joint Detail:	N/A
Stone Relief Dimensions:	0.192

English Slate Texture



Pattern Selection Guide

BOMACRON TOOLS

Granite Textured Patterns

TL-04110 Fishscale Granite Setts, Single Tool (50 1/2" X 27 1/4")

Uniform texture of moderate depths of relief consistent with cleft granite stone. Appropriate for all applications where natural cleft stone is desired with smaller "setts" being more rustic and larger stones being more uniform. Typically patterned in cobble type tools with some variety in layout and design.

Tool size:	50 1/2" x 27 1/4"
Stone Size:	N/A
Joint Detail:	.284 x .216
Stone Relief Dimensions:	0.172



Pattern Selection Guide


BOMACRON TOOLS

Granite Textured Patterns

TL-04160 Circular Granite Stone A (2.5' radius)

Uniform texture of moderate depths of relief consistent with cleft granite stone. Appropriate for all applications where natural cleft stone is desired with smaller "setts" being more rustic and larger stones being more uniform. Typically patterned in cobble type tools with some variety in layout and design.

Tool size:	2.5' radius
Stone Size:	N/A
Joint Detail:	.273 X .229
Stone Relief Dimensions:	0.172



Pattern Selection Guide



BOMACRON TOOLS

English Slate Textured Patterns

TL-03250 Garden Stone (42" X 48")

A versatile texture of "riven" slate with moderate depth of relief and minimal veining. Appropriate for all applications where consistent depth of impression and texture are desired. Set in a wide range of patterns from a random ashlar pattern to a random stone version with multiple tool designs and sizes.

Tool size:	42" x 48"
Stone Size:	N/A
Joint Detail:	.279 x .189
Stone Relief Dimensions:	0.192



Pattern Selection Guide

BOMACRON TOOLS


Granite Textured Patterns

TL-04070 4" X 4" Granite Setts Single (24" X 24")

Uniform texture of moderate depths of relief consistent with cleft granite stone. Appropriate for all applications where natural cleft stone is desired with smaller "setts" being more rustic and larger stones being more uniform. Typically patterned in cobble type tools with some variety in layout and design.

Tool size:	24" x 24"
Stone Size:	4" X 4"
Joint Detail:	.266 x .318
Stone Relief Dimensions:	0.172

4" x 4" Granite Setts



Also available in 6" x 6"



Pattern Selection Guide

BOMACRON TOOLS

Granite

TL-04232 Granite Frayed Edge (12" X 12")

Uniform texture of moderate depths of relief consistent with cleft granite stone. Appropriate for all applications where natural cleft stone is desired with smaller "setts" being more rustic and larger stones being more uniform. Typically patterned in cobble type tools with some variety in layout and design. Note: Largest Granite Frayed Edge Available is 4 1/2' X 4 1/2'

Tool size:	12" x 12"
Stone Size:	N/A
Joint Detail:	N/A
Stone Relief Dimensions:	0.172



Pattern Selection Guide

BOMACRON TOOLS

Granite Light Granite Capstone Texture

TL-26010 Capstone Granite Frayed Edge (2' X 2')

Note: Largest Capstone Granite Frayed Edge Available is 3'10" X 3'10"

Tool size:	2' x 2'
Stone Size:	N/A
Joint Detail:	N/A
Stone Relief Dimensions:	0.099



Pattern Selection Guide

BOMACRON TOOLS


Graphics

TL-10080 Quarter Circle Graphics (24" X 24")

A selection of tools that interlock to form a consistent pattern or image in the finished installation.

Tool size:	24" x 24"
Stone Size:	N/A
Joint Detail:	.259 x .299
Stone Relief Dimensions:	0.039

Quarter Circle Graphics



Pattern Selection Guide


BOMACRON TOOLS

Used Brick Textured Patterns

TL-21063 4" X 8" Herringbone Used Brick Single (33 3/4" X 25 3/8") with 1/8" masonite

Traditional recycled brick texture set in a variety of patterns replicating hand laid brick paving. Moderate to light depth of relief intended for use anywhere that typical brick or masonry unit paving is desired.

Tool size:	33 3/4" x 25 3/8"
Stone Size:	4" x 8"
Joint Detail:	.198 x .266
Stone Relief Dimensions:	0.067



Pattern Selection Guide


BOMACRON TOOLS

Used Brick Textured Patterns

TL-21063 4" X 8" Herringbone Used Brick Single (33 3/4" X 25 3/8") with 1/8" masonite

Traditional recycled brick texture set in a variety of patterns replicating hand laid brick paving. Moderate to light depth of relief intended for use anywhere that typical brick or masonry unit paving is desired.

Tool size:	33 3/4" x 25 3/8"
Stone Size:	4" x 8"
Joint Detail:	.198 x .266
Stone Relief Dimensions:	0.067




Pattern Selection Guide

BOMANITE TOOLS Tile

TL-50280 8" Hex Tile (24" X 27 3/4")

Tool size:	24" x 27 3/4"
Stone Size:	8"
Joint Detail:	1.250 X .649
Stone Relief Dimensions:	N/A

Hex Tile



Also available in 17 1/4" pattern
(34 1/2" x 30" tool) and 9" x 12"
pattern (31 1/2" x 24" tool)




Pattern Selection Guide

BOMACRON TOOLS Stone Textured Patterns

TL-13040 La Paz Stone (4' X 4')

Riverstone textures: Round river rock textures consistent with water tumbled natural rocks of varying sizes. Very deep relief appropriate for areas where varying heights are acceptable

Tool size:	4' x 4'
Stone Size:	N/A
Joint Detail:	.197 x .162
Stone Relief Dimensions:	0.063



Pattern Selection Guide


BOMACRON TOOLS

Sandstone Textured Patterns

Large Sandstone (72" X 66")

Consistent texture with moderate to light depth of relief and texture. Traditional sandstone striation of the pattern with large circular type layering and uniform sandy texture. Appropriate for all applications where minimal change of relief is desired.

Tool size:	72" x 66"
Stone Size:	N/A
Joint Detail:	.353 x .102
Stone Relief Dimensions:	0.083



Pattern Selection Guide

BOMACRON TOOLS


English Slate Textured Patterns

TL-03210 Mediterranean Tile, Full Tool (37 3/4" X 37 3/4")

A versatile texture of "riven" slate with moderate depth of relief and minimal veining. Appropriate for all applications where consistent depth of impression and texture are desired. Set in a wide range of patterns from a random ashlar pattern to a random stone version with multiple tool designs and sizes.

Tool size:	37 3/4" x 37 3/4"
Stone Size:	N/A
Joint Detail:	.147 x .179
Stone Relief Dimensions:	0.192

Mediterranean Tile



Pattern Selection Guide


BOMACRON TOOLS

English Slate Textured Patterns

TL-03130 Medium Ashlar Slate, Full Tool A (60" X 60") 1/4" X 1/4" Blade

A versatile texture of "riven" slate with moderate depth of relief and minimal veining. Appropriate for all applications where consistent depth of impression and texture are desired. Set in a wide range of patterns from a random ashlar pattern to a random stone version with multiple tool designs and sizes.

Tool size:	60" x 60"
Stone Size:	N/A
Joint Detail:	.248 x .212
Stone Relief Dimensions:	0.192



Pattern Selection Guide

BOMACRON TOOLS

Mountain Granite Ashlar Textured Patterns

TL-27010 Mountain Granite Ashlar A (30" X 36")

Similar to the regular slate with less veining and a more typical light granite texture blended throughout. Could be considered a medium slate in between the depth of relief of the light slate and the regular slate with some striation with in the texture. More crisp layering than regular slate with minimal to moderate depth of relief appropriate for applications where consistent depth of impression and texture is desired.

Tool size:	30" x 36"
Stone Size:	N/A
Joint Detail:	.408 x .645
Stone Relief Dimensions:	0.123




Pattern Selection Guide

BOMACRON TOOLS Graphics

TL-10050 Pershing Square Graphics Full Tool (42" X 60")

A selection of tools that interlock to form a consistent pattern or image in the finished installation.

Tool size:	42" x 60"
Stone Size:	N/A
Joint Detail:	na
Stone Relief Dimensions:	na



Pattern Selection Guide


BOMACRON TOOLS

Slate Regular Textured Patterns

Random Slate

A versatile texture of "riven" slate with moderate depth of relief but rustic, random veining found throughout. Appropriate for all applications where consistent depth of impression and texture with random veining running throughout is desired. Set in a wide range of patterns from a random ashlar pattern to a random stone version with multiple tool designs and sizes.

Tool size:	102" x 57"
Stone Size:	N/A
Joint Detail:	.223 x .266
Stone Relief Dimensions:	0.22




Pattern Selection Guide

BOMANITE TOOLS Rock


TL-50190 4" to 6" River Rock (24" X 24")

Tool size:	24" x 24"
Stone Size:	4" to 6"
Joint Detail:	1.603 X .762
Stone Relief Dimensions:	N/A

River Rock (4" to 6")



Individual stones vary in size from 3½" x 5½" to 5½" x 8½". Available as 12" x 12" tool
Also available in 6" to 12" River Rock pattern in 12" x 24" and 4" x 24" tool, but joints do not match 4" to 6" tool



Pattern Selection Guide



BOMACRON TOOLS

Stone Textured Patterns

Roman Cobble Stone (36" X 64")

Granite Texture: Uniform texture of moderate depths of relief consistent with cleft granite stone. Appropriate for all applications where natural cleft stone is desired with smaller "setts" being more rustic and larger stones being more uniform. Typically patterned in cobble type tools with some variety in layout and design.

Tool size:	36" x 64"
Stone Size:	N/A
Joint Detail:	.469 x .543
Stone Relief Dimensions:	0.322



Pattern Selection Guide

BOMACRON TOOLS


Used Brick Textured Patterns

TL-21070 2 1/4" X 7 1/2" Running Bond Used Brick (3/8" X 1/4" joint) (32" X 31 1/2")

Traditional recycled brick texture set in a variety of patterns replicating hand laid brick paving. Moderate to light depth of relief intended for use anywhere that typical brick or masonry unit paving is desired.

Tool size:	32" x 31 1/2"
Stone Size:	2 1/4" x 7 1/2"
Joint Detail:	.285 x .541
Stone Relief Dimensions:	0.067

Running Bond Used Brick



Also available in 2 1/4" x 7 1/2"



Pattern Selection Guide

BOMACRON TOOLS


Slate Regular Texture

TL-19310 Regular Slate Frayed Edge (4 1/2' X 4 1/2')

A versatile texture of "riven" slate with moderate depth of relief but rustic, random veining found throughout. Appropriate for all applications where consistent depth of impression and texture with random veining running throughout is desired. Set in a wide range of patterns from a random ashlar pattern to a random stone version with multiple tool designs and sizes.

Tool size:	4 1/2" x 4 1/2"
Stone Size:	N/A
Joint Detail:	N/A
Stone Relief Dimensions:	0.22

Slate/Regular Texture



Pattern Selection Guide


BOMACRON TOOLS

Slate Rustic Textured Patterns

TL-20020 8" X 16" Riverside Slate (24" X 24") Rustic Joints

Tool size:	24" x 24"
Stone Size:	8" x 16"
Joint Detail:	.309 x .414
Stone Relief Dimensions:	0.158

Riverside Slate (rustic joints)



Also available as triple tool
(72" x 24")



Pattern Selection Guide

BOMACRON TOOLS


Slate Regular Textured Patterns

Small Random Slate

A versatile texture of "riven" slate with moderate depth of relief but rustic, random veining found throughout. Appropriate for all applications where consistent depth of impression and texture with random veining running throughout is desired. Set in a wide range of patterns from a random ashlar pattern to a random stone version with multiple tool designs and sizes.

Tool size:	65" x 65"
Stone Size:	N/A
Joint Detail:	.278 x .284
Stone Relief Dimensions:	0.22

Small Random Slate



Tool A - Individual stones vary in size from 16" x 21" to 41" x 21"



Tool B - Individual stones vary in size from 20" x 23" to 20" x 26"
Also available as stones 2 & 3; 4 & 5; 1, 6 & 7



Pattern Selection Guide


BOMACRON TOOLS

Sandstone Textured Patterns

Small Sandstone

Consistent texture with moderate to light depth of relief and texture. Traditional sandstone striation of the pattern with large circular type layering and uniform sandy texture. Appropriate for all applications where minimal change of relief is desired.

Tool size:	36" x 32"
Stone Size:	N/A
Joint Detail:	.432 x .453
Stone Relief Dimensions:	0.083




Pattern Selection Guide

BOMANITE TOOLS

Tile

TL-50240 12" X 12" Tile (24" X 24")

Tool size:	24" x 24"
Stone Size:	12" x 12"
Joint Detail:	1.705 X .718
Stone Relief Dimensions:	N/A



Also available in 6" x 6" pattern (24" x 24" tool), and 18" x 18" pattern (18" x 36" and 36" x 36" tools - 1/4" joint)



Pattern Selection Guide


BOMACRON TOOLS Graphics

TL-12070 Tropical Fish (7 1/4" X 12 3/4")

A selection of project specific custom tools available for unique applications.

Tool size:	7 1/4" x 12 3/4"
Stone Size:	N/A
Joint Detail:	.026 x .038
Stone Relief Dimensions:	N/A

Tropical Fish



Pattern Selection Guide

BOMACRON TOOLS


Used Brick

TL-21300 Used Brick Frayed Edge (4 1/2' X 4 1/2')

Traditional recycled brick texture set in a variety of patterns replicating hand laid brick paving. Moderate to light depth of relief intended for use anywhere that typical brick or masonry unit paving is desired.

Tool size:	4 1/2' x 4 1/2'
Stone Size:	N/A
Joint Detail:	N/A
Stone Relief Dimensions:	0.067

Used Brick Texture



Largest Used Brick Frayed Edge available is 4 1/2' X 4 1/2'



Pattern Selection Guide

BOMACRON TOOLS


Used Brick Textured Patterns

TL-21020 4" X 8" Basketweave Used Brick (16"X16")

Traditional recycled brick texture set in a variety of patterns replicating hand laid brick paving. Moderate to light depth of relief intended for use anywhere that typical brick or masonry unit paving is desired.

Tool size:	16" x 16"
Stone Size:	4" x 8"
Joint Detail:	.279 x .300
Stone Relief Dimensions:	0.067

Basketweave Used Brick



Also available as 8" x 8", 16" x 32"
and 64" x 32"



Pattern Selection Guide


BOMACRON TOOLS

Used Brick Textured Patterns

TL-21110 Sn Isidro Running Bond Brick (25 3/4" X 93 5/8")

Traditional recycled brick texture set in a variety of patterns replicating hand laid brick paving. Moderate to light depth of relief intended for use anywhere that typical brick or masonry unit paving is desired.

Tool size:	25 3/4" x 93 5/8"
Stone Size:	25 3/4" x 93 5/8"
Joint Detail:	.241 x .128
Stone Relief Dimensions:	0.067



Pattern Selection Guide

BOMACRON TOOLS


Used Brick Textured Patterns

TL-21160 4" X 8" Soldier Course Used Brick, 6 bricks (24" X 8")

Traditional recycled brick texture set in a variety of patterns replicating hand laid brick paving. Moderate to light depth of relief intended for use anywhere that typical brick or masonry unit paving is desired.

Tool size:	24" x 8"
Stone Size:	4" x 8"
Joint Detail:	.266 x .267
Stone Relief Dimensions:	0.067

Soldier Course Used Brick



Also available in 4" x 12" brick



Pattern Selection Guide


BOMACRON TOOLS

Yorkshire Stone

TL-13203 18" X 18" Yorkshire Stone, Frayed Edge

Similar to English slate but with a sandstone appearance and more striation in the texture. Appropriate for all applications where consistent depth of impression and texture are desired. Available in the traditional random sized sawn slabs field laid in an ashlar pattern. Note: Largest Yorkshire Stone Frayed Edge Available is 30" X 30"

Tool size:	18" x 18"
Stone Size:	18" x 18"
Joint Detail:	N/A
Stone Relief Dimensions:	0.148



Individual stones available in both a Horizontal texture and a 45-degree texture in sizes varying from 6" x 24", 12" x 12", 12" x 18", 18" x 18", 18" x 30", 24" x 24", 30" x 30" and 36" x 36"



Pattern Selection Guide


BOMACRON TOOLS

Yorkshire Stone Textured Patterns

TL-13060 6" X 24" Yorkshire Stone

Similar to English slate but with a sandstone appearance and more striation in the texture. Appropriate for all applications where consistent depth of impression and texture are desired. Available in the traditional random sized sawn slabs field laid in an ashlar pattern.

Tool size:	6" x 24"
Stone Size:	6" x 24"
Joint Detail:	.391 x .382
Stone Relief Dimensions:	0.148



Individual stones available in both a Horizontal texture and a 45-degree texture in sizes varying from 6" x 24", 12" x 12", 12" x 18", 18" x 18", 18" x 30", 24" x 24", 30" x 30" and 36" x 36"

